Author Index

ABEL L. *see* FRIDKIS-HARELI M.
ABO T. *see* IIAI T.
see also KUSUMI A.
ADAMS S.E. *see* HARRIS S.J.
ADLER W.H. *see* CHOPRA R.K.
AGER A. *see* PANKONIN G.
AHERN T.J. *see* LEEUWENBERG J.F.M.
AICHER W.K. *see* McGEE D.W.
AMERIO P. *see* CONTI P.
ANDERSON J.K. *see* CHANG N.-S.
ANDERSSON R. *see* RICHTER J.
ARMANDOLA E.A. *see* MARIANI S.M.
ARMOUR C.L. *see* ROLFE F.G.

BARBACANE R.C. *see* CONTI P.
BARKANS J. *see* CROMWELL O.
BARNETSON R.ST.C. *see* HALLIDAY G.M.
BARON-HAY M. *see* GARLEPP M.J.
BEAGLEY K.W. *see* McGEE D.W.
BEEKHUIZEN E.M.E., VERDEGAAL E.M.E., BLOKLAND I. & VAN FURTH R. Contribution of ICAM-1 and VCAM-1 to the morphological changes in monocytes bound to human venous endothelial cells stimulated with recombinant interleukin-4 (rIL-4) or rIL-1α, 469
BENAISSA-TROUW B.J. *see* SNIJDERS A.
BENSON J.L. & NIEDERKORN J.Y. Immune privilege in the anterior chamber of the eye: alloantigens and tumour-specific antigens presented into the anterior chamber simultaneously induce suppression and activation of delayed hypersensitivity to the respective antigens, 189
BERNARD F. *see* BUZONI-GATEL D.
BERNARD S. *see* BUZONI-GATEL D.
BHATIA S.K. *see* CHOPRA R.K.
BINNS R.M., DUNCAN I.A., POWIS S.J., HUTCHINGS A. & BUTCHER G.W. Subsets of null and γδ T-cell receptor$^+$ T lymphocytes in the blood of young pigs identified by specific monoclonal antibodies, 219
BLANKENSTEIN T. *see* ROTHE H.
BLAZQUEZ M.V. *see* MUÑOZ E.
BLOKLAND I. *see* BEEKHUIZEN E.M.E.
BONNEFOY-BERARD N., VERRIER B., VINCENT C. & REVILLARD J.P. Inhibition of CD25 (IL-2Rα) expression and T-cell proliferation by polyclonal anti-thymocyte globulins, 61
BOS J.D. *see* RAMBUKKANA A.
BOURHIS J.-H. *see* DENNIG D.
BOWMAN R.V. *see* GARLEPP M.J.
BRANDON M.R. *see* GILL H.S.
BRASS A. *see* MORGAN K.
BRENNAN A. *see* HEWISON M.
BRETT F., MOWAT A., FARQUHARSON M.A., McGILL M., HIND C., RICHMOND J., MURRAY D., KHAN N.U.D. & FOULIS A.K. The distribution of immunoreactive interferon-γ-containing cells in normal human tissues, 515
BRONZE-DA-ROCHA E., MACHADO C., STAINES N.A. & SUNKEL C.E. Systemic lupus erythematosus murine monoclonal DNA-binding antibodies recognize cytoplasmic and nuclear phosphorylated antigens that display cell cycle redistribution in HEp-2 cells, 582
BROSTOFF J. *see* HALL T.J.
BUCALA R. Polyclonal activation of B lymphocytes by lipopolysaccharide requires macrophage-derived interleukin-1, 477
BULL H.A. *see* FILLEY E.A.
BURGER R. *see* ZHAO J.
BUTCHER G.W. *see* BINNS R.M.
BUURMAN W.A. *see* LEEUWENBERG J.F.M.
BUZONI-GATEL D., GUILLOTEAU L., BERNARD F., BERNARD S., CHARDÈS T. & ROCCA A. Protection against *Chlamydia psittaci* in mice conferred by Lyt-2$^+$ T cells, 284
BYRON K.A., VARIGOS G. & WOOTTON A. Hydrocortisone inhibition of human interleukin-4, 624

CALDER V.L. *see* McKENZIE J.L.
CAMBRIDGE G. *see* EHRENSTEIN M.R.
CARR D.J.J., MAYO S., WOOLLEY T.W. & DECOSTA B.R. Immunoregulatory properties of (+)-pentazocine and sigma ligands, 527
CARROLL M.P. *see* CHOPRA R.K.
CHANG N.-S., LEU R.W., RUMMAGE J.A., ANDERSON J.K. & MOLE J.E. Regulation of macrophage Fc receptor expression and phagocytosis by histidine-rich glycoprotein, 532
CHARDÈS T. *see* BUZONI-GATEL D.
CHEN L.Y. *see* WANG S.-Y.
CHERWONOGRODZKY J.W. *see* WONG J.P.
CHILTON F.H. *see* TRIGGIANI M.
CHOPRA R.K., CARROLL M.P., MAY W.S., BHATIA S.K., MARGOLICK J.B., NAGEL J.E. & ADLER W.H. Four interleukin-2 surface binding proteins detected in rat spleen cells, 338
CHOU M.P. *see* WANG S.-Y.
CHUI B. *see* KAPASI K.
CINEK T. *see* LEEUWENBERG J.F.M.
CLAASSEN E. *see* JEURISSEN S.H.M.
CLAESSON M.H. *see* RUDOLPHI A.
COHEN A. *see* WOLF S.S.
ČOLIĆ M., GAŠIĆ S., STOJANOVIĆ N., POPOVIĆ LJ. & DUJIĆ A. Phenotypic and ultrastructural characterization of an epithelial cell line established from rat thymic cultures, 201
COLLINS P.D. *see* CROMWELL O.
CONTI P., FELICIANI C., BARBACANE R.C., PANARA M.R., REALE M., PLACIDO F.C., SAUDER D.N., DEMPSEY R.A. & AMERIO P. Inhibition of interleukin-1β mRNA expression and interleukin-1α and β secretion by a specific human recombinant interleukin-1 receptor antagonist in human peripheral blood mononuclear cells, 245
CORRIGAN C.J. *see* CROMWELL O.
CRAIG S.S. *see* IRANI A.A.
CROMWELL O., HAMID Q., CORRIGAN C.J., BARKANS J., MENG Q., COLLINS P.D. & KAY A.B. Expression and generation of interleukin-8, IL-6 and granulocyte–macrophage colony-stimulating factor by bronchial epithelial cells and enhancement by IL-1β and tumour necrosis factor-α, 330
CROMWELL O. *see* SEHMI R.

DARDENNE M. *see* LEITE-DE-MORAES M.C.
DAS P.K. *see* RAMBUKKANA A.
DAVIS W.C. *see* GRIEBEL P.J.
DE GRAAF-MILTENBURG L.A.M. *see* VAN VLIET K.E.
DECOSTA B.R. *see* CARR D.J.J.
DEMPSEY R.A. *see* CONTI P.
DENCH J. *see* GARLEPP M.J.
DENNIG D., MECHERI S., BOURHIS J.-H. & HOFFMAN M.K. Interleukin-2 may enhance or inhibit antibody production by B cells depending on intracellular cAMP concentrations, 251
DI NINNO V.L. *see* WONG J.P.
DIAMANTSTEIN T. *see* ROTHE H.
DOSKOW J.R. & WILKINSON M.F. CD3-γ, -δ, -ε, -ζ, T-cell receptor-α and -β transcripts are independently regulated during thymocyte ontogeny and T-cell activation, 465
DOWD P.M. *see* FILLEY E.A.
DUJIĆ A. *see* ČOLIĆ M.
DUMONDE D.C. *see* LIMB G.A.
DUNCAN I.A. *see* BINNS R.M.

EDVINSSON L. *see* RICHTER J.
EGNER W. *see* McKENZIE J.L.
EHRENSTEIN M.R., LEAKER B., ISENBERG D. & CAMBRIDGE G. Production of human monoclonal antibodies to myeloperoxidase, 617

ENGSTRÖM P.-E., SUNDIN U., LAVÖ B., NORHAGEN E.G., HÄLLGREN R., SMITH C.I.E. & HAMMARSTRÖM L. Class and subclass-associated specificity differences of anti-gliadin antibodies from mucosa and serum, 604

FARQUHARSON M.A. *see* BRETT F.
FELICIANI C. *see* CONTI P.
FERNANDEZ I. *see* SNIJDERS A.
FERNANDEZ N., KURPISZ M., LABETA M., SACHS J. & PAWELEC G. A ligand–epitope *in vitro* analysis of major histocompatibility determinants expressed on B and T lymphocytes, 116
FERRONE S. *see* MARIANI S.M.
FILLEY E.A., BULL H.A., DOWD P.M. & ROOK G.A.W. The effect of *Mycobacterium tuberculosis* on the susceptibility of human cells to the stimulatory and toxic effects of tumour necrosis factor, 505
FLÜCKIGER E.W. *see* NEIDHART M.
FOULIS A.K. *see* BRETT F.
FRIDKIS-HARELI M., ABEL L. & GLOBERSON A. Patterns of dual lymphocyte development in co-cultures of foetal thymus and lymphohaemopoietic cells from young and old mice, 185
FUCHS B.A. *see* PRUETT S.B.
FUJII Y. & YAMAGUCHI N. Maternal T cells of immunized pregnant mice induce immune suppression in their offspring, 171
FUROTANI M. *see* MORIKAWA Y.
FURUGO I. *see* TSUKAMOTO H.
FURUKAWA S. *see* GOTO F.

GALEA-LAURI J. *see* WILKINSON J.M.
GARLEPP M.J., ROSE A.H., BOWMAN R.V., MAVADDAT N., DENCH J., HOLT B.J., BARON-HAY M. & ROBINSON B.W.S. A clonal analysis of lung T cells derived by bronchoalveolar lavage of healthy individuals, 31
GAŠIĆ S. *see* ČOLIĆ M.
GEARING A.J.H. *see* HARRIS S.J.
GENTZ R. *see* PIGUET P.F.
GILL H.S., WATSON D.L. & BRANDON M.R. *In vivo* inhibition by a monoclonal antibody to $CD4^+$ T cells of humoral and cellular immunity in sheep, 38
GIRASOLE G. *see* HUSTMYER F.G.
GIRN B. *see* McMENAMIN C.
GLOBERSON A. *see* FRIDKIS-HARELI M.
GLOGAUER M. *see* GYORFFY E. J.
GOTO F., GOTO K., MIYATA T., OHKAWARA S., TAKAO T., MORI S., FURUKAWA S., MAEDA T., IWANAGA S., SHIMONISHI Y. & YOSHINAGA M. Interleukin-1 receptor antagonist in inflammatory exudate cells of rabbits. Production, purification and determination of primary structure, 235
GOTO K. *see* GOTO F.
GRAHAM T. *see* GRIEBEL P.J.
GRAU G.E. *see* PIGUET P.F.
GRIEBEL P.J., KENNEDY L., GRAHAM T., DAVIS W.C. & REYNOLDS J.D. Characterization of B-cell phenotypic changes during ileal and jejunal Peyer's patch development in sheep, 564
GRÖNE M., SCHEFFER J. & KÖNIG W. Modulation of leukotriene generation by invasive bacteria, 400
GUILLOTEAU L. *see* BUZONI-GATEL D.
GULLBERG U. *see* RICHTER J.
GYORFFY E.J., GLOGAUER M., KENNEDY L. & REYNOLDS J.D. T-cell receptor-$\gamma\delta$ association with lymphocyte populations in sheep intestinal mucosa, 25

HAJEER A.H. *see* MORGAN K.
HALL T.J. & BROSTOFF J. Specific inhibition of IgE antibody production by an antisense oligodeoxynucleotide oligomer (Oligostick™), 462
HALLETT M.B. *see* JIANG W.
HÄLLGREN R. *see* ENGSTRÖM P.-E.
HALLIDAY G.M., LUCAS A.D. & BARNETSON R.ST.C. Control of Langerhans' cell density by a skin tumour-derived cytokine, 13
HAMBLIN A.S. *see* LIMB G.A.
HAMID Q. *see* CROMWELL O.
HAMMARSTRÖM L. *see* ENGSTRÖM P.-E.
HAN Y. *see* PRUETT S.B.
HARRIS S.J., GEARING A.J.H., LAYTON G.T., ADAMS S.E. & KINGSMAN A.J. Enhanced proliferative cellular responses to HIV-1 V3 peptide and gp120 following immunization with V3:Ty virus-like particles, 315
HART D.N.J. *see* McKENZIE J.L.
HART I.J., SCHÄFER H., SCHEPER R.J. & STEVENSON G.T. Subpopulations of guinea-pig T lymphocytes defined by isoforms of the leucocyte common antigen, 377
HARTNELL A., KAY A.B. & WARDLAW A.J. Interleukin-3-induced up-regulation of CR3 expression on human eosinophils is inhibited by dexamethasone, 488
HASEGAWA T., ISOBE K., NAKASHIMA I. & SHIMOKATA K. Quantitative analysis of antigen for the induction of tolerance in carcinoembryonic antigen transgenic mice, 577
HENNET T. *see* PFISTER H.
HEWISON M., BRENNAN A., SINGH-RANGER R., WALTERS J.C., KATZ D.R. & O'RIORDAN J.L.H. The comparative role of 1,25-dihydroxycholecalciferol and phorbol esters in the differentiation of the U937 cell line, 304
HILGER R.A. & KÖNIG W. Leukotriene A_4 modulates generation of leukotriene B_4 and sulphidopeptide leukotrienes by human neutrophils, 408
HIND C. *see* BRETT F.
HIROKAWA K. *see* IIAI T.
HO C.K. *see* WANG S.-Y.
HOFFMAN M.K. *see* DENNIG D.
HOLT B.J. *see* GARLEPP M.J.
HOLT P.G. *see* McMENAMIN C.
see also McMENAMIN P.G.
HOLTHOUSE I. *see* McMENAMIN P.G.
HONTEBEYRIE-JOSKOWICZ M. *see* LEITE-DE-MORAES M.C.
HOWARD C.J., SOPP P. & PARSONS K.R. L-selectin expression differentiates T cells isolated from different lymphoid tissues in cattle but does not correlate with memory, 228
HU H. *see* KIMURA R.
HUBBARD W.C. *see* TRIGGIANI M.
HUGHES J.M. *see* ROLFE F.G.
HUSTMYER F.G., GIRASOLE G. & MANOLAGAS S.C. Signal-dependent pleiotropic regulation of lymphocyte proliferation and cytokine production by 1,25-dihydroxyvitamin D_3: potent modulation of the hormonal effects by phorbol esters, 520
HUTCHINGS A. *see* BINNS R.M.

IIAI T., WATANABE H., SEKI S., SUGIURA K., HIROKAWA K., UTSUYAMA M., TAKAHASHI-IWANAGA H., IWANAGA T., OHTEKI T. & ABO T. Ontogeny and development of extrathymic T cells in mouse liver, 556
INMAN R.D. *see* KAPASI K.
IRANI A.A., CRAIG S.S., NILSSON G., ISHIZAKA T. & SCHWARTZ L.B. Characterization of human mast cells developed *in vitro* from fetal liver cells cocultured with murine 3T3 fibroblasts, 136
ISENBERG D. *see* EHRENSTEIN M.R.
ISHIZAKA T. *see* IRANI A.A.
ISOBE K. *see* HASEGAWA T.
IWANAGA S. *see* GOTO F.
IWANAGA T. *see* IIAI T.

JAKSCHIK B.A. *see* ZHANG Y.
JANSE E.M. *see* JEURISSEN S.H.M.
JEUNHOMME T.M.A.A. *see* LEEUWENBERG J.F.M.
JEURISSEN S.H.M., CLAASSEN E. & JANSE E.M. Histological and functional differentiation of non-lymphoid cells in the chicken spleen, 75
JIANG W., PUNTIS M.C.A., NAKAMURA T. & HALLETT M.B. Neutrophil priming by hepatocyte growth factor, a novel cytokine, 147
JONGENEEL C. V. *see* ROTHE H.
JUNGI T.W. *see* PFISTER H.

KAKUDO K. *see* MORIKAWA Y.
KAPASI K., CHUI B., CHUI B. & INMAN R.D. HLA-B27/microbial mimicry: an *in vivo* analysis, 456
KATZ D.R. *see* HEWISON M.
KAY A.B. *see* CROMWELL O.

see also HARTNELL A.
see also SEHMI R.
KENNEDY L. *see* GRIEBEL P.J.
see also GYORFFY E.J.
KHAN N.U.D. *see* BRETT F.
KIERSZENBAUM F. *see* SZTEIN M.B.
KIESEL U. *see* ROTHE H.
KIMBER I. *see* MOODYCLIFFE A.M.
KIMURA R., HU H. & STEIN-STREILEIN J. Delayed-type hypersensitivity responses regulate collagen deposition in the lung, 550
KINGSMAN A.J. *see* HARRIS S.J.
KIZAKI H. *see* YASUTOMI D.
KLARESKOG L. *see* NORDLING C.
KLEINAU S. *see* NORDLING C.
KNODEL M.H. *see* WONG J.P.
KOLB H. *see* ROTHE H.
KÖNIG W. *see* GRÖNE M.
see also HILGER R.A.
KONTNY E. & RYŻEWSKA A. Functional relationship between high-affinity E receptor and CD2-11.3 epitope, 196
KOTLARSKI I. *see* POPE M.
KRAAIJEVELD C.A. *see* SNIJDERS A.
KRIEG S. *see* RAMBUKKANA A.
KUMAGAI K. *see* KUSUMI A.
KURIBAYASHI K. *see* MORIKAWA Y.
KURPISZ M. *see* FERNANDEZ N.
KUSUMI A., ABO T., MASUDA T., SUGIURA K., SEKI S., OHTEKI T., OKUYAMA R. & KUMAGAI K. Lymphotoxin activates hepatic T cells and simultaneously induces profound thymic atrophy, 177

LABETA M. *see* FERNANDEZ N.
LANGERMANS J.A.M., VAN DER HULST M.E.B., NIBBERING P.H., VAN DER MEIDE P.H. & VAN FURTH R. Intravenous injection of interferon-γ inhibits the proliferation of *Listeria monocytogenes* in the liver but not in the spleen and peritoneal cavity, 354
LAVÖ B. *see* ENGSTRÖM P.-E.
LAYTON G.T. *see* HARRIS S.J.
LE POOLE I.C. *see* RAMBUKKANA A.
LEAKER B. *see* EHRENSTEIN M.R.
LEEUWENBERG J.F.M., SMEETS E.F., NEEFJES J.J., SHAFFER M.A., CINEK T., JEUNHOMME T.M.A.A., AHERN T.J. & BUURMAN W.A. E-selectin and intercellular adhesion molecule-1 are released by activated human endothelial cells *in vitro*, 543
LEITE-DE-MORAES M.C., HONTEBEYRIE-JOSKOWICZ M., DARDENNE M. & SAVINO W. Modulation of lymphocyte subsets during acute and chronic phases of experimental *Trypanosoma cruzi* infection, 95
LESSLAUER W. *see* PIGUET P.F.
LEU R.W. *see* CHANG N.-S.
LIMB G.A., HAMBLIN A.S., WOLSTENCROFT R.A. & DUMONDE D.C. Rapid cytokine up-regulation of integrins, complement receptor 1 and HLA-DR on monocytes but not on lymphocytes, 88
LOETSCHER H. *see* PIGUET P.F.
LUCAS A.D. *see* HALLIDAY G.M.

MACDONALD T.T. *see* VINEY J.L.
MCGEE D.W., BEAGLEY K.W., AICHER W.K. & MCGHEE J.R. Transforming growth factor-β enhances interleukin-6 secretion by intestinal epithelial cells, 7
MCGHEE J.R. *see* MCGEE D.W.
MCGILL M. *see* BRETT F.
MACHADO C. *see* BRONZE-DA-ROCHA E.
MCKENZIE J.L., EGNER W., CALDER V.L. & HART D.N.J. Hodgkin's disease cell lines: a model for interleukin-1-independent accessory cell function, 345
MCMENAMIN C., GIRN B. & HOLT P.G. The distribution of IgE plasma cells in lymphoid and non-lymphoid tissues of high-IgE responder rats: differential localization of antigen-specific and 'bystander' components of the IgE response to inhaled antigen, 592
MCMENAMIN P.G., HOLTHOUSE I. & HOLT P.G. Class II major histocompatibility complex (Ia) antigen-bearing dendritic cells within the iris and ciliary body of the rat eye: distribution, phenotype and relation to retinal microglia, 385
MADUEÑO J.A. *see* MUÑOZ E.
MAEDA T. *see* GOTO F.
MAK K.L. *see* WANG S.-Y.
MANOLAGAS S.C. *see* HUSTMYER F.G.
MARGOLICK J.B. *see* CHOPRA R.K.
MARIANI S.M., ARMANDOLA E.A. & FERRONE S. Diversity of anti-HLA-DR antibodies elicited by distinct anti-idiotypic monoclonal antibodies recognizing idiotopes co-expressed by the immunizing monoclonal antibody, 597
MASUDA T. *see* KUSUMI A.
MATSUURA N. *see* MORIKAWA Y.
MAVADDAT N. *see* GARLEPP M.J.
MAY W.S. *see* CHOPRA R.K.
MAYO S. *see* CARR D.J.J.
MAYUMI T. *see* TSUKAMOTO H.
MECHERI S. *see* DENNIG D.
MEILIN A., SHOHAM J. & SHARABI Y. Analysis of thymic stromal cell subpopulations grown *in vitro* on extracellular matrix in defined medium. IV. Cytokines secreted by human thymic epithelial cells in culture and their activities on murine thymocytes and bone marrow cells, 208
MENG Q. *see* CROMWELL O.
MIYATA T. *see* GOTO F.
MOLE J.E. *see* CHANG N.-S.
MOODYCLIFFE A.M., KIMBER I. & NORVAL M. The effect of ultraviolet B irradiation and urocanic acid isomers on dendritic cell migration, 394
MORGAN K., TURNER S.L., REYNOLDS I., HAJEER A.H., BRASS A. & WORTHINGTON J. Identification of an immunodominant B-cell epitope in bovine type II collagen and the production of antibodies to type II collagen by immunization with a synthetic peptide representing this epitope, 609
MORI S. *see* GOTO F.
MORIKAWA Y., FUROTANI M., KURIBAYASHI K., MATSUURA N. & KAKUDO K. The role of antigen-presenting cells in the regulation of delayed-type hypersensitivity. I. Spleen dendritic cells, 81
MOWAT A. *see* BRETT F.
MUÑOZ E., BLAZQUEZ M.V., MADUEÑO J.A., RUBIO G. & PEÑA J. CD26 induces T-cell proliferation by tyrosine protein phosphorylation, 43
MUNSON A.E. *see* PRUETT S.B.
MURRAY D. *see* BRETT F.

NAGASAWA K. *see* TSUKAMOTO H.
NAGEL J.E. *see* CHOPRA R.K.
NAKAMURA T. *see* JIANG W.
NAKASHIMA I. *see* HASEGAWA T.
NEEFJES J.J. *see* LEEUWENBERG J.F.M.
NEIDHART M. & FLÜCKIGER E.W. Hyperprolactinaemia in hypophysectomized or intact male rats and the development of adjuvant arthritis, 449
NIBBERING P.H. *see* LANGERMANS J.A.M.
NIEDERKORN J.Y. *see* BENSON J.L.
NIHO Y. *see* TSUKAMOTO H.
NIIZEKI H. *see* YASUTOMI D.
NILSSON G. *see* IRANI A.A.
NORDLING C., KLEINAU S. & KLARESKOG L. Down-regulation of a spontaneous arthritis in male DBA/1 mice after administration of monoclonal anti-idiotypic antibodies to a cross-reactive idiotope on anti-collagen antibodies, 144
NORHAGEN E.G. *see* ENGSTRÖM P.-E.
NORVAL M. *see* MOODYCLIFFE A.M.
NOURSHARGH S. *see* VON UEXKÜLL C.

O'RIORDAN J.L.H. *see* HEWISON M.
OBEID O.E. *see* PARTIDOS C.D.
ODAKA C. *see* YASUTOMI D.
OHKAWARA S. *see* GOTO F.
OHTA S. *see* SHIMAMURA M.
OHTEKI T. *see* IIAI T.
see also KUSUMI A.

OKU M. *see* SHIMAMURA M.
OKUYAMA R. *see* KUSUMI A.

PANARA M.R. *see* CONTI P.
PANKONIN G., REIPERT B. & AGER A. Interactions between interleukin-2-activated lymphocytes and vascular endothelium: binding to and migration across specialized and non-specialized endothelia, 51
PARSONS K.R. *see* HOWARD C.J.
PARTIDOS C.D., OBEID O.E. & STEWARD M.W. Antibody responses to non-immunogenic synthetic peptides induced by co-immunization with immunogenic peptides, 262
PAWELEC G. *see* FERNANDEZ N.
PEÑA J. *see* MUÑOZ E.
PEPPARD J.V. Feeding neonatal rats with IgG antibodies leads to humoral hyporesponsiveness in the adult, 256
PFISTER H., HENNET T. & JUNGI T.W. Lipopolysaccharide synergizes with tumour necrosis factor-α in cytotoxicity assays, 473
PHILLIPS R.S. *see* TAYLOR-ROBINSON A.W.
PIGUET P.F., GRAU G.E., VESIN C., LOETSCHER H., GENTZ R. & LESSLAUER W. Evolution of collagen arthritis in mice is arrested by treatment with anti-tumour necrosis factor (TNF) antibody or a recombinant soluble TNF receptor, 510
PLACIDO F.C. *see* CONTI P.
POPE M. & KOTLARSKI I. Antigen-presenting characteristics of peritoneal cells of *Salmonella enteritidis* 11RX-infected mice, 289
POPOVIĆ LJ. *see* ČOLIĆ M.
POWIS S.J. *see* BINNS R.M.
PRUETT S.B., HAN Y., MUNSON A.E. & FUCHS B.A. Assessment of cholinergic influences on a primary humoral immune response, 428
PUNTIS M.C.A. *see* JIANG W.

RAMBUKKANA A., DAS P.K., KRIEG S., YONG S., LE POOLE I.C. & BOS J.D. Mycobacterial 65,000 MW heat-shock protein shares a carboxy-terminal epitope with human epidermal cytokeratin 1/2, 267
RAMOS B.F. *see* ZHANG Y.
REALE M. *see* CONTI P.
REDELMAN D. *see* TAYLOR B.C.
REDER A.T. Regulation of production of adrenocotricotropin-like proteins in human mononuclear cells, 436
REID H.W. *see* WILKINSON J.M.
REID P.A. & WATTS C. Constitutive endocytosis and recycling of major histocompatibility complex class II glycoproteins in human B-lymphoblastoid cells, 539
REIMANN J. *see* RUDOLPHI A.
REIPERT B. *see* PANKONIN G.
REVILLARD J.P. *see* BONNEFOY-BERARD N.
REYNOLDS I. *see* MORGAN K.
REYNOLDS J.D. *see* GYORFFY E.J.
REYNOLDS J.D. *see* GRIEBEL P.J.
RICHMOND J. *see* BRETT F.
RICHTER G. *see* ROTHE H.
RICHTER J., ANDERSSON R., EDVINSSON L. & GULLBERG U. Calcitonin gene-related peptide (CGRP) activates human neutrophils—inhibition by chemotactic peptide antagonist BOC-MLP, 416
ROBINSON B.W.S. *see* GARLEPP M.J.
ROCCA A. *see* BUZONI-GATEL D.
ROLFE F.G., HUGHES J.M., ARMOUR C.L. & SEWELL W.A. Inhibition of interleukin-5 gene expression by dexamethasone, 494
ROOK G.A.W. *see* FILLEY E.A.
ROSE A.H. *see* GARLEPP M.J.
ROSSI A.G. *see* SEHMI R.
ROTHE H., SCHULLER I., RICHTER G., JONGENEEL C.V., KIESEL U., DIAMANTSTEIN T., BLANKENSTEIN T. & KOLB H. Abnormal TNF production in prediabetic BB rats is linked to defective CD45R expression, 1
RUBIO G. *see* MUÑOZ E.
RUDOLPHI A., CLAESSON M.H. & REIMANN J. $CD3^+$ T cells in severe combined immunodeficiency (scid) mice. VI. Rescue of scid-derived, IgM-producing B cells by transfer of $CD4^+$ $CD8^-$ T cells from various lymphoid organs, 157
RUMMAGE J.A. *see* CHANG N.-S.
RUSSELL M.W. *see* WU H.-Y.
RYŻEWSKA A. *see* KONTNY E.

SACHS J. *see* FERNANDEZ N.
SAITO S. *see* YASUTOMI D.
SAUDER D.N. *see* CONTI P.
SAVINO W. *see* LEITE-DE-MORAES M.C.
SCHÄFER H. *see* HART I.J.
SCHAFER H. *see* ZHAO J.
SCHEFFER J. *see* GRÖNE M.
SCHEPER R.J. *see* HART I.J.
SCHLEIMER R.P. *see* TRIGGIANI M.
SCHULLER I. *see* ROTHE H.
SCHWARTZ L.B. *see* IRANI A.A.
SCIBIENSKI R.J. *see* TAYLOR B.C.
SEHMI R., ROSSI A.G., KAY A.B. & CROMWELL O. Identification on receptors for leukotriene B_4 expressed on guinea-pig peritoneal eosinophils, 129
SEKI S. *see* IIAI T.
see also KUSUMI A.
SEWELL W.A. *see* ROLFE F.G.
SHAFFER M.A. *see* LEEUWENBERG J.F.M.
SHARABI Y. *see* MEILIN A.
SHIMAMURA M., OKU M., OHTA S. & YAMAGATA T. Haematopoietic cell lines capable of colonizing the thymus following *in vivo* transfer expressed T-cell receptor δ-gene immature mRNA, 369
SHIMOKATA K. *see* HASEGAWA T.
SHIMONISHI Y. *see* GOTO F.
SHOHAM J. *see* MEILIN A.
SINGH-RANGER R. *see* HEWISON M.
SMEETS E.F. *see* LEEUWENBERG J.F.M.
SMITH C.I.E. *see* ENGSTRÖM P.-E.
SNIJDERS A., BENAISSA-TROUW B.J., VISSER-VERNOOY H.J., FERNANDEZ I., SNIPPE H. & KRAAIJEVELD C.A. A delayed-type hypersensitivity-inducing T-cell epitope of Semliki Forest virus mediates effective T-helper activity for antibody production, 322
SNIPPE H. *see* SNIJDERS A.
SOPP P. *see* HOWARD C.J.
STADNYK L.L. *see* WONG J.P.
STAINES N.A. *see* BRONZE-DA-ROCHA E.
STEIN-STREILEIN J. *see* KIMURA R.
STEVENSON G.T. *see* HART I.J.
STEWARD M.W. *see* PARTIDOS C.D.
STOJANOVIĆ N. *see* ČOLIĆ M.
STOTT J.L. *see* TAYLOR B.C.
SUGIURA K. *see* IIAI T.
see also KUSUMI A.
SUNDIN U. *see* ENGSTRÖM P.-E.
SUNKEL C.E. *see* BRONZE-DA-ROCHA E.
SZTEIN M.B. & KIERSZENBAUM F. Suppression by *Trypanosoma cruzi* of T-cell receptor expression by activated human lymphocytes, 277

TADAKUMA T. *see* YASUTOMI D.
TAKAHASHI-IWANAGA H. *see* IIAI T.
TAKAO T. *see* GOTO F.
TAYLOR B.C., STOTT J.L., SCIBIENSKI R.J. & REDELMAN D. Development and characterization of a monoclonal antibody specific for the bovine low-affinity interleukin-2 receptor, BoCD25, 150
TAYLOR-ROBINSON A.W. & PHILLIPS R.S. Functional characterization of protective $CD4^+$ T-cell clones reactive to the murine malaria parasite *Plasmodium chabaudi*, 99
TOMIOKA K. *see* TRIGGIANI M.
TRIGGIANI M., SCHLEIMER R.P., TOMIOKA K., HUBBARD W.C. & CHILTON F.H. Characterization of platelet-activating factor synthesized by normal and granulocyte–macrophage colony-stimulating factor-primed human eosinophils, 500
TSUKAMOTO H., NAGASAWA K., UEDA Y., MAYUMI T., FURUGO I., TSURU T. & NIHO Y. Effects of cell differentiation on the synthesis of the third and fourth component (C3, C4) by the human monocytic cell line U937, 621
TSURU T. *see* TSUKAMOTO H.

TURNER S.L. *see* MORGAN K.
TZARTOS S. *see* ZHANG Y.

UEDA Y. *see* TSUKAMOTO H.
UTSUYAMA M. *see* IIAI T.

VAN DER HULST M.E.B. *see* LANGERMANS J.A.M.
VAN DER MEIDE P.H. *see* LANGERMANS J.A.M.
VAN FURTH R. *see* BEEKHUIZEN E.M.E.
VAN FURTH R. *see* LANGERMANS J.A.M.
VAN STRIJP J.A.G. *see* VAN VLIET K.E.
VAN VLIET K.E., DE GRAAF-MILTENBURG L.A.M., VERHOFF J. & VAN STRIJP J.A.G. Direct evidence for antibody bipolar bridging on herpes simplex virus-infected cells, 109
VARIGOS G. *see* BYRON K.A.
VERDEGAAL E.M.E. *see* BEEKHUIZEN E.M.E.
VERHOFF J. *see* VAN VLIET K.E.
VERRIER B. *see* BONNEFOY-BERARD N.
VESIN C. *see* PIGUET P.F.
VINCENT C. *see* BONNEFOY-BERARD N.
VINEY J.L. & MACDONALD T.T. Lymphokine secretion and proliferation of intraepithelial lymphocytes from murine small intestine, 19
VISSER-VERNOOY H.J. *see* SNIJDERS A.
VON UEXKÜLL C., NOURSHARGH S. & WILLIAMS T.J. Comparative responses of human and rabbit interleukin-1 *in vivo*: effect of a recombinant interleukin-1 receptor antagonist, 483

WALTERS J.C. *see* HEWISON M.
WANG S.-Y., MAK K.L., CHEN L.Y., CHOU M.P. & HO C.K. Heterogeneity of human blood monocyte: two subpopulations with different sizes, phenotypes and functions, 298
WARDLAW A.J. *see* HARTNELL A.
WATANABE H. *see* IIAI T.
WATSON D.L. *see* GILL H.S.
WATTS C. *see* REID P.A.
WICHER K. *see* ZHAO J.
WICHER V. *see* ZHAO J.
WILKINSON J.M., GALEA-LAURI J. & REID H.W. A cytotoxic rabbit T-cell line infected with a γ-herpes virus which expresses CD8 and class II antigens, 106
WILKINSON M.F. *see* DOSKOW J.R.
WILLIAMS T.J. *see* VON UEXKÜLL C.
WOLF S.S. & COHEN A. Expression of cytokines and their receptors by human thymocytes and thymic stromal cells, 362
WOLSTENCROFT R.A. *see* LIMB G.A.
WONG J.P., CHERWONOGRODZKY J.W., DI NINNO V.L., STADNYK L.L. & KNODEL M.H. Liposome potentiation of humoral immune response to lipopolysaccharide and O-polysaccharide antigens of *Brucella abortus*, 123
WOOLLEY T.W. *see* CARR D.J.J.
WOOTTON A. *see* BYRON K.A.
WORTHINGTON J. *see* MORGAN K.
WU H.-Y. & RUSSELL M.W. Antibody-secreting cell responses in the mouse liver, 443
WUTHRICH R.P. Monoclonal antibodies to the murine VLA-6 α-chain trigger homotypic lymphocyte aggregation, 214

YAMAGATA T. *see* SHIMAMURA M.
YAMAGUCHI N. *see* FUJII Y.
YASUTOMI D., ODAKA C., SAITO S., NIIZEKI H., KIZAKI H. & TADAKUMA T. Inhibition of programmed cell death by cyclosporin A; preferential blocking of cell death induced by signals via TCR/CD3 complex and its mode of action, 68
YONG S. *see* RAMBUKKANA A.
YOSHINAGA M. *see* GOTO F.

ZHANG Y. & TZARTOS S. B–T lymphocyte interactions in experimental autoimmune myasthenia gravis: autoantibody mediated up-regulation of the response of acetylcholine receptor-specific T lymphocytes, 571
ZHANG Y., RAMOS B.F. & JAKSCHIK B.A. Role of mast cells in plasma permeation due to immune injury of the skin basement membrane, 422
ZHAO J., WICHER V., BURGER R., SCHAFER H. & WICHER K. Strain- and age-associated differences in lymphocyte phenotypes and immune responsiveness in C4-deficient and Albany strains of guinea-pigs, 165

Subject Index

Accessory cell function:
interleukin-1-independent model, 345
Adhesion molecules, E-selectin and intercellular adhesion molecule-1:
release by activated and endothelial cells, 543
Adjuvant arthritis, development:
role of hyperprolactaemia, 449
Adrenocotricotropin-like proteins:
regulation of production in human mononuclear cells, 436
Anti-CD4 monoclonal antibody:
in vivo inhibition of immunity in sheep, 38
Anti-DNA antibodies, murine monoclonal:
recognition of cytoplasmic and nuclear phosphorylated antigens, 582
Anti-HLA-DR antibodies:
elicited by monoclonal anti-idiotypic antibodies, 597
Anti-idiotype:
down-regulation of spontaneous arthritis, 144
Antibody bipolar bridging:
on herpes simplex virus-infected cells, 109
Antigen-presenting cell function:
after *Salmonella* infection, 289
Arthritis, collagen:
presentation with tumour necrosis factor antagonists, 510

Bronchial epithelial cells:
expression and generation of cytokines, 330

C4-deficient guinea-pigs:
strain- and age-associated differences in lymphocyte phenotype and responsiveness, 165
Calcitonin gene-related peptide:
activation of human neutrophils, 416
CD3 T cells:
in scid mice, 157
CD3 and T-cell receptor transcripts:
regulation during thymic and T-cell activation, 465
CD4 T-cell clones, protective:
reactive with *Plasmodium chabaudi*, 99
CD25 expression:
inhibition by anti-thymocyte globulin, 61
CD26 induction of T-cell proliferation by tyrosine protein phosphorylation, 43
Cell death, programmed:
inhibition by cyclosporin A, 68
Cholinergic influences on primary and humoral immune responses, 428
Class II major histocompatibility complex molecules:
endocytosis and recycling in human B-lymphoblastoid cells, 539
Co-immunization:
with synthetic B- and T-cell epitopes, 262
Collagen, bovine type II:
identification of an immunodominant B-cell epitope, 609
Complement C3, C4 synthesis:
effects of cell differentiation, 621
Cyclosporin A:
inhibition of programmed cell death, 68
Cytokine, up-regulation of integrins:
complement receptor 1 and HLA-DR on monocytes, 88
Cytokines and receptors expression in human thymocytes and thymic stromal cells, 362
Cytotoxic T-cell line:
expression of CD8 and class II, 106

Delayed-type hypersensitivity and pulmonary interstitial fibrosis, 550
Delayed-type hypersensitivity-inducing T-cell epitope, Semliki Forest virus:
mediation of T-helper activity, 322
Dendritic cells:
regulatory effect on delayed-type hypersensitivity, 81
Dendritic cells, class II antigen-bearing:
in iris and ciliary body of rat eye, 385
Dendritic cell migration:
effect of ultraviolet B irradiation, 394
1,25-dihydroxycholecalciferol and phorbol esters:
role in differentiation of U937 cell line, 304

E receptor, high affinity:
relationship with the CD2-11.3 epitope, 196
Epithelial cell line:
characterization, 201
Experimental autoimmune myasthenia gravis:
antibody-mediated up-regulation of T-cell response, 571
Extrathymic T cells:
ontogeny and development, 556

Heat-shock protein, 65,000 MW:
shared epitope with human cytokeratin, 267
Hepatocyte growth factor:
neutrophil priming of, 147
Histidine-rich glycoprotein:
regulation of macrophage Fc receptor expression and phagocytosis, 532
HIV-1 V3 peptide and gp120, responses to:
after immunization with V3:Ty particles, 315
Homing, of haematopoietic cell lines:
to thymus, 369
Hyporesponsiveness:
following neonatal feeding with IgG, 256

Immune privilege:
in the anterior chamber of the eye, 189
Immunoglobulin class and subclass-associated antibody specificity differences:
in mucosal and serum antibodies, 604
Immunoglobulin E production:
inhibition of antisense oligomer, 462
Immunoglobulin E synthesis:
in vivo localization, 592
Immunoregulatory properties of pentazocine and sigma ligands, 527
Interferon-γ, intravenous injection:
inhibition of proliferation of *Listeria*, 354
Interferon-γ-containing cells:
distribution in human tissues, 515
Interleukin-1:
in polyclonal activation of B cells, 477
Interleukin-1, human and rabbit responses *in vivo*:
effect of interleukin-1 receptor antagonist, 483
Interleukin-1 expression and secretion:
inhibition by IL-1 receptor antagonist, 245
Interleukin-1 receptor antagonist, rabbit, production:
purification and structure, 235
Interleukin-2 effects on antibody production via cAMP concentrations, 251
Interleukin-2 receptor, low affinity, bovine:
monoclonal antibody to, 150
Interleukin-2 receptor subunits:
rat, 338

Interleukin-3, up-regulation of CD3 expression on human eosinophils:
inhibition by dexamethasone, 488
Interleukin-4, human:
hydrocortisone inhibition of, 624
Interleukin-6 secretion, epithelial cells:
enhancement by transforming growth factor-β, 7
Intraepithelial lymphocytes:
functional activity, 19
Isoforms of leucocyte common antigen:
on guinea-pig lymphocytes, 377

L-selectin:
expression on T cells in cattle, 228
Langerhans' cell density, control of:
by skin tumour-derived cytokine, 13
Leukotriene A_4 modulation of leukotriene B_4 and sulphidopeptide leukotrienes, 408
Leukotriene generation:
modulated by invasive bacteria, 400
Liposomes:
potentiation of humoral immune responses to *Brucella abortus* antigens, 123
Liver:
antibody-secreting cells, 443
LTB_4 receptors:
on guinea-pig peritoneal eosinophils, 129
Lung T cells:
clonal analysis, 31
Lymphocyte activation:
by dihydroxyvitamin D_3, 520
Lymphocyte aggregation homotypic:
triggered by monoclonal anti-VLA-6 α-chain antibodies, 214
Lymphotoxin:
activation of hepatic T cells and induction of thymic atrophy, 177
Lyt-2^+ T cells:
protection against *Chlamydia psittaci*, 284

Major histocompatibility complex:
expressed on B and T cells, 116
Mast cells:
and immune injury of basement membrane, 422
Mast cells, human:
in vitro characterization, 136
Maternal T cells:
induction of suppression in young, 171
Migration of interleukin-2-activated lymphocytes across vascular endothelium, 51
Mimicry, HLA-B27:
in vivo analysis, 456
Monoclonal antibodies, human:
to myeloperoxidase, 617
Monocyte heterogeneity, 298
Monocytes, morphological changes:
contribution of adhesion molecules, 469

Non-lymphoid cells, chicken spleen:
differentiation, 75

Peyer's patch development:
B-cell changes, 564
Platelet-activating factor, characterization:
from human eosinophils, 500

Severe combined immunodeficiency mice:
CD3 T cells, 157

$\gamma\delta$ T-cell receptor and lymphocyte subsets in sheep mucosa, 25
T-cell receptor expression:
suppression by trypanosomes, 277
$\gamma\delta$ T-cell subsets:
defined by monoclonal antibodies, 219
Thymic stromal cell populations:
in vitro analysis of, 208
Thymocytes:
modulation during Chagas' disease, 95
Thymus-bone marrow chimeras, 185
Tolerance, to carcinoembryonic antigen:
in transgenic mice, 577
Transforming growth factor-β:
enhancement of interleukin-6 secretion, 7
Tumour necrosis factor, stimulatory and toxic effects:
effect of tuberculosis on, 505
Tumour necrosis factor production, abnormal, in prediabetic rats:
linked to defective CD45R expression, 1
Tumour necrosis factor-α and lipopolysaccharide synergism, 473